Medline Search
Date: 03/19/2003
Search Terms:
"functional light transmission"
functional light transmission oxygen
functional light transmission oxyhemoglobin
functional light transmission oximeter
functional light transmission oximetry
extinction coefficient oximeter
extinction coefficient oxyhemoglobin
extinction coefficient oximetry
extinction coefficient integration
extinction coefficient integrated
extinction coefficient integrate

Google Search
Date:03/19/2003
Search terms:
"functional light transmission"
extinction coefficient oxyhemoglobin temperature
extinction coefficient oxyhemoglobin integration
extinction coefficient oxyhemoglobin integrated
extinction coefficient oxyhemoglobin integrate

updated search
11/22/2004

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	318	(600/309-500.ccls. 356/39-42.ccls.) and ((person patient subject) with (specific particular personal) with (correlation correlat$3 calibration calibrat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 09:59
L2	176	(600/309-500.ccls. 356/39-42.ccls. $hemoglobin ((saturated (blood with (content level)) saturation) with oxygen) oximet$) and ((no absent without lack$3 minus miss$3 exclud$3 omit omitt$3) adj3 (finger tissue sample) with (model equation relation correlation correlat$3 calibration calibrat$3 Beer Lambert))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:12
L4	318	((600/309-500.ccls. 356/39-42.ccls.) and ((person patient subject) with (specific particular personal) with (correlation correlat$3 calibration calibrat$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:19
L5	117	(("600"/$.ccls. 356/39-42.ccls. $hemoglobin hematocrit ((saturated (blood with (content level)) saturation) with oxygen) (blood with (constituent component analyte glucose)) oximet$) and ((person patient subject) with (specific particular personal) with (correction correct$3 account$3 adjustment adjust$3 modification modify$3 modifi$3) with (model equation relation correlation correlat$3 calibration calibrat$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:21
L6	41	(("600"/$.ccls. 356/39-42.ccls.) and ($hemoglobin ((saturated (blood with (content level)) saturation) with oxygen) oximet$3) and (((person patient subject) with (specific particular personal)) same ((correction correct$3 account$3 adjustment adjust$3 modification modify$3 modifi$3) with (model equation relation correlation correlat$3 calibration calibrat$3 Beer Lambert))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:25

L7	80	(("600"/$.ccls. 356/39-42.ccls.) and ($hemoglobin ((saturated (blood with (content level)) saturation) with oxygen) oximet$3) and (((person patient subject) with (specific particular personal)) same (correction correct$3 account$3 adjustment adjust$3 modification modify$3 modifi$3) same (model equation relation correlation correlat$3 calibration calibrat$3 Beer Lambert)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:27
L8	178	(600/309-500.ccls. 356/39-42.ccls.) and (((without "no") adj5 (finger appendage digit arm forearm tissue sample skin finger digit)) same (correlation correlat$3 calibration calibrat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:28
L9	57	600/331.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:29
L10	132	(600/309-344.ccls. 356/39-42.ccls.) and (((probe sensor) with (memory EEPROM chip micro$chip stor$3)) same (model equation relation correlation correlat$3 calibration calibrat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:30
L11	326	(600/309-500.ccls. 356/39-42.ccls.) and (((no absent without lack$3 minus miss$3 exclud$3 omit omitt$3) adj5 (finger appendage digit arm forearm tissue sample skin finger digit)) same (model equation relation correlation correlat$3 calibration calibrat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:31